



## Surface hardening of Zr-Cu based bulk metallic glasses using gaseous thermochemical treatment

Haratian, Saber; Christiansen, Thomas L.; Villa, Matteo; Somers, Marcel A. J.

*Publication date:*  
2018

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

### *Citation (APA):*

Haratian, S., Christiansen, T. L., Villa, M., & Somers, M. A. J. (2018). *Surface hardening of Zr-Cu based bulk metallic glasses using gaseous thermochemical treatment*. Abstract from 15th International Conference on the Physics of Non-Crystalline Solids & 14th European Society of Glass Conference, Saint Malo, France.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# PNCS-ESG 2018

15<sup>th</sup> International Conference on the Physics of Non-Crystalline Solids & 14<sup>th</sup> European Society of Glass Conference

9 - 13 July 2018 - Saint Malo



## TUESDAY 10<sup>th</sup> JULY - AM

LAMENNAIS 4&5

### METALLIC GLASSES

*Session Chair: Jean-Christophe SANGLEBOEUF*

*Room: LAMENNAIS 4&5*

- 11:00 › **Invited: A. Lindsay Greer**, *Univ. of Cambridge, Dept. of Mat. Sci. Metallurgy*  
Metallic Glasses
- 11:30 › **Jian Xu**, *Institute of Metal Research, Chinese Academy of Sciences*  
 $\text{Zr}_{61}\text{Ti}_2\text{Cu}_{25}\text{Al}_{12}$  bulk metallic glass: Failure under torsional loading and Mode III fracture toughness
- 11:45 › **Andrzej Musial**, *Institute of Molecular Physics, Polish Academy of Sciences*  
Glassy state formation and thermal stability in (Hf,Cr)CoB alloys
- 12:00 › **Saber Haratian**, Mechanical Eng. Dept., Technical University of Denmark  
Surface hardening of Zr-Cu based bulk metallic glasses using gaseous thermochemical treatment

# Surface hardening of Zr-Cu based bulk metallic glasses using gaseous thermochemical treatment

Saber Haratian <sup>\*† 1</sup>, Thomas L. Christiansen <sup>1</sup>, Matteo Villa <sup>1</sup>, Marcel A. J. Somers <sup>1</sup>

<sup>1</sup> Materials and Surface Engineering Section, Mechanical Engineering Department, Technical University of Denmark (DTU) – Produktionstorvet, Building 425, 2800 Kgs. Lyngby, Denmark

Gaseous thermochemical surface treatment is commonly applied for enhancing the metallic material performance with respect to their wear, tribological and corrosion resistance. In thermochemical processing, interstitial elements are introduced in the metallic substrate at elevated temperatures in order to deliberately change the chemical composition of the surface. Amorphous multi-component metallic systems, viz. bulk metallic glasses have been extensively researched in the past decades due to their promising structural capabilities in engineering applications. The present research investigates thermochemical treatment by gaseous oxidizing of Zr-Cu based bulk metallic glass systems with high glass forming ability. The metallic glass systems are treated below their glass transition temperatures in atmospheres imposing high oxygen partial pressures. X-ray diffraction analysis, light optical microscopy (LOM), scanning electron microscopy (SEM) coupled with energy dispersive spectroscopy (EDS) and microhardness testing were utilized for evaluating the hardened oxygen-containing case developed during the treatment. The oxide layer was found to consist of two different layers, an outer layer comprised of copper oxide islands due to the outward diffusion of Cu and an inner layer consisting of different oxide zones. For all the studied Zr-Cu based BMGs, the inner oxide layer mostly consists of tetragonal ZrO<sub>2</sub> and minor amounts of CuO, Al<sub>2</sub>O<sub>3</sub> and monoclinic ZrO<sub>2</sub>. In silver containing BMG, a small fraction of expelled non-oxidized silver, as a consequence of volume and thermal expansion, can be seen on the top surface which is covered by copper oxide particles. The surface hardness of thermochemical treated BMG samples reached approximately 1200 HV (except Ag containing Zr- based BMG). The results shows that a homogenous hardened case can be achieved after conducting gaseous thermochemical treatment without devitrification of the amorphous substrate.

**Keywords:** ZrCu bulk metallic glasses, Gaseous thermochemical treatment, Surface hardness

---

<sup>\*</sup>Speaker

<sup>†</sup>Corresponding author: sahara@mek.dtu.dk